



BEARING SUDAMERICANA, S.A.



SALKB 6 F Bearing 2D drawings and 3D CAD models

SKF SALKB 6 F Spherical Plain Bearings - Rod Ends

Bearing No. SALKB 6 F

Category	Spherical Plain Bearings - Rod Ends
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.02
EAN	7316577064264
Product Group	B04286
Stud Profile	Male
Mounting Thread	M6 X 1
Thread Direction	Left Hand
Rolling Element	Spherical Plain
Material - Outer Member	Steel
Material - Ball	Steel
Material - Liner	Plastic Teflon
Relubricatable	No
Enclosure	Open
Other Features	2 Piece Zinc Plated Outer Self Lubricating Maintenance Free
Long Description	6MM Bore; 6.75MM House Width; Male Stud Profile; M6 X 1; Left Hand Thread Direction; Spherical Plain Bearing; Steel Outer Member; Steel Ball; Plastic
Inch - Metric	Metric
Category	Plain Bearing Spherical Rod



BEARING SUDAMERICANA, S.A.

	Ends
UNSPSC	31171508
Harmonized Tariff Code	8483.30.80.55
Noun	Bearing
Keyword 3	Rod End
Keyword String	Plain Spherical Rod End
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	SALKB 6 F
Weight / LBS	0.046
Ball Width	0.354 Inch 9 Millimeter
Housing Width	0.266 Inch 6.75 Millimeter
d	0.236 Inch 6 Millimeter
bore diameter:	6 mm
ball material:	Steel
misalignment angle:	13 °
race material:	PTFE Composite
shank thread length:	21 mm
radial static load capacity:	6.8 kN
rod end type:	Male Threaded
operating temperature range:	-40 to +75 ° F
shank thread size:	M6
head diameter:	21 mm
thread direction:	Left Hand
head width:	6.75 mm
grade:	Commercial/Industrial
ball width:	9 mm
lubrication type:	Maintenance Free/Self-Lubricating
length to ball center:	36 mm
housing material:	Zinc-Plated Steel
standards met:	ISO 12240-4:1998, ISO 965-1:1998



BEARING SUDAMERICANA, S.A.

d	6 mm
d ₂ max.	21 mm
B	9 mm
G	M 6
C ₁ max.	7.5 mm
h	36 mm
	13 °
d _k	12.7 mm
l ₁ min.	21 mm
l ₂ max.	48 mm
r ₁ min.	0.3 mm
Basic dynamic load rating C	4.25 kN
Basic static load rating C ₀	6.8 kN
Specific dynamic load factor K	50 N/mm ²
Material constant K _M	530
Mass rod end	0.021 kg